

คำอธิบายคำย่อและศัพท์เฉพาะ

กทม.	กรุงเทพมหานคร
กวร.	กองวินโรค
กอพ.	กองโรคเอดส์ วินโรคและโรคติดต่อทางเพศสัมพันธ์
จนท.	เจ้าหน้าที่
รพ.	โรงพยาบาล
รพช.	โรงพยาบาลชุมชน
รพท.	โรงพยาบาลทั่วไป
รพศ.	โรงพยาบาลศูนย์
รพสต.	โรงพยาบาลส่งเสริมสุขภาพตำบล
ศบส.	ศูนย์บริการสาธารณสุข
สคร.	สำนักงานป้องกันควบคุมโรค
สปสช.	สถาบันป้องกันโรคเขตเมือง
สสอ.	สำนักงานสาธารณสุขอำเภอ
ACF	Active case finding
AFB	acid - fast bacilli
AMK	amikacin
ART	anti - retroviral therapy
ARV	antiretroviral drugs
B-	clinically diagnosed TB case
B+	bacteriologically confirmed TB case
BCG	Bacillus Calmette-Guerin
BMI	Body Mass Index
CA	cancer
CD4	cluster of differentiation 4
CKD	chronic kidney disease
CAP	capreomycin
COPD	chronic obstructive pulmonary disease
Co - tri	Co-trimoxazole
CXR	Chest x - ray
DM	Diabetes Mellitus

คู่มือการใช้งานโปรแกรม NTIP

DOT	directly observed treatment
DST	drug susceptibility testing
EP	Extra pulmonary Tuberculosis
Eto	Ethionamide
FLD	first line drug
FL- DST	first - line drug susceptibility testing
FQ	fluoroquinolones
HIV	human immunodeficiency virus
HT	Hypertension
ICD – 10	International of Classification of Diseases and Related Health Problem 10 th Revision
IGRA	interferon - gamma release assay
INH	Isoniazid
KAN	kanamycin
Lfx	levofloxacin
LPA	Line Probe Assay
LTBI	latent TB infection
LTF	Lost to follow-up
MOPH	MINISTRY OF PUBLIC HEALTH
MTB	<i>Mycobacterium Tuberculosis</i>
Neg	Negative
NTIP	national TB information program
PA	program administration costs
PMDT	programmatic management of drug – resistant TB
Pos	Positive
P	Pulmonary tuberculosis
RR – TB	rifampicin resistant tuberculosis
RT – PCR	Real Time PCR
SLD	second - line drugs
TB	Tuberculosis
TPT	Tuberculosis Preventive Treatment

คู่มือการใช้งานโปรแกรม NTIP

TST	tuberculin skin test
WHO	World Health Organization
XDR-TB	extensively drug-resistant TB